



LEGAL NOTICE

REQUEST FOR BID SEALED BID 11-100

For

Tractor with Boom Mounted Mowing Deck (re-bid)

For

**ST. CHARLES COUNTY GOVERNMENT
ST. CHARLES, MISSOURI**

St. Charles County is seeking bids for **Tractor with Boom Mounted Mowing Deck (re-bid)**. The county reserves the right to terminate the contract for any violation, by the successful bidder, of any term or condition of the contract by giving thirty (30) days written notice stating the reasons therefore and giving the party time to remedy any deficiencies.

BID INSTRUCTIONS

One original and one [1] signed copies of the bid must be received in a sealed envelope plainly marked “**11-100 Tractor with Boom Mounted Mowing Deck (re-bid)**” with the date and time of the bid opening in the lower left corner of the envelope.

An authorized representative of the company/person submitting the bid must sign the bid, in blue ink.

Bids must be submitted to the St. Charles County Finance Department, 201 North Second Street Room 541 St. Charles MO 63301 prior to the bid opening.

Bid opening will be on 4/8/2011 at 10:00 AM , in **Room 523** of the St. Charles County Administration Building, 201 North Second Street, St. Charles, MO 63301.

St. Charles County reserves the right to accept and/or reject any and all bids.

Bid results may be obtained by emailing a request to the St. Charles County Purchasing Manager at purchasing@sccmo.org, **no phone calls please**. Include the name and number of the bid and date of the bid opening when requesting the results. The time it takes for final bid results to be made public depends on the complexity of the project and the cost of the project.

BID INQUIRIES

Any questions or clarifications concerning this Request for Bid must be submitted in writing via E-mail (preferred), mail or fax to:

Rick Hooker, Purchasing Manager
St. Charles County Government
Finance Department
201 North Second St
St. Charles, Missouri 63301
Fax: (636)949-7589
purchasing@sccmo.org

- The bid number and title shall be referenced on all correspondence.
- All questions must be received no later than **5:00 PM** on **04/04/2011**. Any question received after this deadline may not be answered.

Responses to questions/clarifications will be placed on the County’s website www.sccmo.org/businesses/. Check this website frequently for updates and any addendum that are issued.

Prohibited Communication

Contact with any representative, other than through the procedure outlined in the section titled “Bid Inquiries”, concerning this request is prohibited. Representative shall include, but not be limited to, all elected and appointed officials, and employees of St. Charles County and the Agencies within St. Charles County.

Any Offeror engaging in such prohibited communications may be disqualified at the sole discretion of St. Charles County.

TERMS AND CONDITIONS

- St. Charles County reserves the right to reject any and all bids or parts of a bid and waive technicalities, and to adjust quantities.
- All bids will be considered final. No additions, deletions, corrections, or adjustments will be accepted after the time of bid opening.
- All delivery costs or charges must be included in the F.O.B. destination bid price.
- City, County and State of Missouri Sales Tax and Federal Taxes are not applicable to sales made to St. Charles County and must be excluded.
- The contract shall be effective for the approximate twelve (12) month period from the date of the notice of award.
- The electronic version of this bid/RFP is available upon request. The document was entered into WORD for Microsoft Windows. The Purchasing Office does not guarantee the completeness and accuracy of any information provided on the electronic version. Therefore, respondents are cautioned that the hard copy of this bid/RFP on file in the Purchasing Office governs in the event of a discrepancy between the information contained in or on the electronic version and that which is on the hard copy.
- Vendors are required to clearly identify any deviations from the specifications in this document.
- An authorized officer of the company submitting the bid must sign all bids, in blue ink.
- Vendors must submit two [2] signed copies of their bid; one is to be an original and so marked.
- All prices and notations must be in blue ink or typewritten on the attached form. Mistakes must be crossed out, corrections typed adjacent and must be initialed in blue ink by the person signing the bid.
- St. Charles County will not award any bid to an individual or business having any outstanding amounts due from a prior Contract or business relationship with the County or who owes any amount(s) for delinquent taxes, fees or licenses.
- Sealed proposals received after the designated time of the receipt of the sealed proposals will be considered as “No Bid” and “Void” and will not be opened.
- The successful bidder is specifically denied the right of using in any form or medium the names of St. Charles County or any other public entity within the St. Charles County for public advertising unless express written permission is granted.
- All bidders must possess the necessary and appropriate business and/or professional licenses in their field.

- Award will be made to the low responsive, responsible bidder, or to the offeror whose proposal is most advantageous to the County, price and other factors considered. When payments are to be made to the County, award will be made to the most advantageous offer.
- County reserves the right to accept any item or group of items offered, unless the bidder qualifies his bid by specific limitations. The bid can be on an "all or none" basis if wording in the bid so states and if all items solicited are included in the bid.
- When applicable, provide unit prices and extension prices. Where there is disagreement in the unit and extension prices, the unit price shall govern.

Open Records

Any and all information contained in or submitted with the bid becomes a public record subject to the Missouri Sunshine Law when the bids are opened. If the bidder believes that any information contained in or submitted with the bid is protected from disclosure by the Missouri Sunshine Law, the bidder must clearly identify what information the bidder believes is so protected and must also clearly identify the legal basis therefor.

Bid Specification

St. Charles County is seeking bids for **one (1) Tractor with Boom Mounted Mowing Deck** for the Highway Department.

Unless otherwise specified, any manufacturers' names, trade names, brand names, information and/or catalog numbers listed in this specification are descriptive, **not restrictive**. The bidder may offer any product that meets or exceeds the applicable specifications. The bidder must demonstrate comparability, by including appropriate catalog materials, literature, specifications, test data, etc. **The County shall determine in its sole discretion whether a product is acceptable as an equivalent.**

Item Number	Feature Description	Meets	Exceeds	Not available or does not meet spec
	TRACTOR			
	A. Engine			
1)	Engine HP at manufacturer rated speed: Minimum 100 HP at 2300 RPM			
2)	Fuel moisture separator required.			
	B. Transmission			
3)	Transmission: minimum 16 forward / 16 reverse with four ranges and creeper gears [not to exceed .90 mph].			
4)	On-the-Go shifting required			
5)	Clutch: wet type			
	C. Hydraulics			
6)	Hydraulic system: Closed center, pressure and flow compensated system with min 26.5 GPM flow capacity.			
7)	Remote Hydraulics: Min of three deluxe remotes with three detents and dust covers.			
8)	Front mount hydraulic pump capability. Front crankshaft pulley shall be drilled and tapped to allow easy installation of front drive shaft in order to allow use of front mount crankshaft driven pump.			
	D. Cab			
9)	Heavy duty operators seat with adjustable suspension and seat belt.			
10)	Premium style cab with full sound protection, heater and air conditioning. All controls [hydraulic levers, transmission controls, rear drawbar and hitch] to be clearly visible and accessible from driver's seat with seat belt on. All appropriate lighting [driving and warning] with a cab mounted safety amber strobe light. MFR'S standard lighted instrument gauges and lights.			
	E. General			
11)	2WD front axle.			
12)	Tractor shall have frame rated to support a Tiger or Diamond style boom mower or ditching unit.			

Item Number	Feature Description	Meets	Exceeds	Not available or does not meet spec
13)	Hitch to be class II, 3 point with draft control—two telescoping lower links with telescoping linkage stabilizers or anti-sway bars and remote hitch raise / lower controls.			
14)	PTO with guard---540/1000 RPM--- electro-hydraulic controlled-----multi disc wet clutch type with all appropriate safeties.			
15)	Brakes: Hydraulically actuated wet disc.			
16)	Differential lock: Required.			
17)	Electrical system: 12 volt with key start.			
18)	Throttle: foot or hand operated.			
19)	Tires: Front 11 L 15. Rear: 16.9 R 30 R1W Radial tires.			
20)	Color: Manufactures standard color.			
21)	Unit to contain all equipment advertised as standard by the manufacturer unless the change results in a deduction in the manufactures published MSRP.			
22)	Shall have manufactures warranty of min 2 years or 2000 hours.			
	F. Dimensions and weight			
23)	Wheelbase; 94.5 in.			
24)	Crop clearance; 23.2 in.			
25)	Tread width range Front; 58.5-96 in.			
26)	Tread width range Rear; 63.1-90.6 in.			
27)	Front axle clearance: 18.5 in			
28)	Weight (w/standard tire); minimum 9050 lb.			
	MOWER			
	G. Safety Specifications			
29)	Unit shall meet or exceed the following industry standards: SAE J1001, J115, J208, J715, J898, J909, J920, J1150 J1500 ANSI/ASAE S441, S318.7, S217.10, S278.6, EP363. ASTM A370. A compliance report shall be available upon request.			
	H. Cutting Head			
30)	Cutting width shall be 50" of actual cut			
31)	Cutting assembly shall be flail type and hydraulically powered.			
32)	Cutting head deck shall have 100,000 lb. rated steel housing.			
33)	Cutting head shall have 435 degrees of combined rotation.			
34)	Cutting shaft shall have a minimum of (48) dual purpose, 2 lb, 8" in length, brush and grass knives. Knives will be 10mm thick, and be capable of cutting brush 6" in diameter. Knives will be mounted with 1" grade 8 bolts to the cutting shaft. Knives shall be reversible.			
35)	Cutting shaft shall be a minimum of 6" in diameter, with 2-3/16" diameter stub shafts and bearings. Cutting shaft bearings will be of the grip tight double shielded type.			

Item Number	Feature Description	Meets	Exceeds	Not available or does not meet spec
36)	Blade cutting diameter shall be 23".			
37)	Cutting heads shall have 6-5/8" diameter rollers, 1-3/8" grip tight shielded bearings, and replaceable 1-3/8" stub shafts with external bearing hub caps and cap retainers.			
38)	Cutting head weight shall be a minimum of 835 lbs.			
39)	Hydraulic motor assemblies shall have automatic belt self-tensioners.			
40)	Cutting head shall have a minimum of 1/4" x 26" solid steel sidewalls.			
41)	Cutting bonnet thickness shall be a minimum of 1/8".			
42)	Cutting shaft rpm shall be a minimum of 1700 (tip speed of 10224 rpm)			
43)	Cutting head shall have removable skid shoes.			
	BOOM			
	I. Boom Specifications			
44)	Mainframe of mower is properly braced to rear axle and front axle housing to absorb side torque and impact of severe applications.			
45)	A hardened plain bearing having not less than 37 inches of bearing surface shall support the boom. The base plate shall have an integral swing cylinder attachment point and be constructed of not less than 1" thick and 100,000 psi (T1) steel.			
46)	Boom swivel bracket shall be triple anchored with 1" thick T1 steel. All (3) anchors shall have 360 degree grease groove hardened spring steel replaceable split bushings. All (3) anchors shall each be equipped with a grease zerk.			
47)	Wheel weight shall weigh not less than 1,400 lbs, mounted on the left rear wheel (specifically excluding frame mounted weight.)			
48)	Inner boom structural tube shall not have less than the following sectional properties: Torsional 74.9" Bending (Horizontal) 60.1" Bending (Vertical) 23.8". Inner boom shall be constructed of not less than 70,000 psi, 8"x 6"x14" tube, and reinforced with not less than 3/8" 100,000 psi T1 steel.			
49)	Outer boom structural tube shall not have less than the following sectional properties: Torsional 25.0" Bending (Horizontal) 22.1" Bending (Vertical) 11.7". The outer boom shall be constructed of not less than 70,000 psi 6"x 4"x1/4" tube and reinforced with not less than 3/8", 100,000 psi T1 steel.			
50)	Boom dimensions are measured from ground level and the tractor's centerline. Boom reach-out (B) is 21' 11", boom reach-in (D) is 6' 2", boom height (A) is 19' 3", boom Depth (C) is 14'. Boom reach, height and depth may vary depending upon tractor and /or tire configuration.			

Item Number	Feature Description	Meets	Exceeds	Not available or does not meet spec
51)	A Polycarbonate lexan window shall be installed to provide safety protection for the operator. It can be installed in place of, or over the glass, or attached to a frame on the right side of the cab windows.			
J. Hydraulic Cylinders				
52)	Boom shall have a hydraulically operated maneuvering cylinder for horizontal movement of the cutter head. Cutter head shall have the capability of moving 26 degrees forward and 28 degrees rearward with limited relief protection.			
53)	All cylinder mountings shall have replaceable, hardened bushings, of the grease-able type.			
54)	All cylinders are heavy duty industrial type, nitro steel rod welded.			
55)	Secondary boom cylinder shall have a spherical bearing on the rod end.			
56)	Hydraulic lift cylinders shall be mounted on the top of the boom arms.			
57)	Boom shall have (2) double acting hydraulic cylinders, and (1) single acting hydraulic cylinder with accumulator.			
K. Hydraulic System				
58)	Lift control valves shall be (4) tapered spools of the metering type, equipped with (8) pilot pressure reliefs (Note: Optional electronic joystick with a 4-bank electro-hydraulic proportional, load sensing, and manual override at operator's position.)			
59)	Hydraulic oil reservoir shall have a minimum capacity of 65 gallons.			
60)	Hydraulic oil reservoir shall be filled to a maximum of 52 gallons.			
61)	Hydraulic oil reservoir shall have a minimum of one fill sight glass.			
62)	Hydraulic oil reservoir system shall be used as the power source for rotary cutting head.			
63)	Hydraulic oil reservoir shall have a filter with 10 micron element, 75 gpm rated.			
64)	Hydraulic oil reservoir shall have a restriction gauge visible to the operator.			
65)	Hydraulic oil suction shall be an unrestricted 1.5" ID (specifically excluded shall be the suction filter and screens.)			
66)	Hydraulic oil pressure and return system hoses shall be 1" ID high pressure unrestricted. Hoses shall have a burst pressure 4x working pressure.			
67)	Hydraulic oil pressure, return, and lift system steel hydraulic lines shall be mounted at the rear of the boom arms.			
68)	Wire braid reinforced hydraulic lines shall be used at all flexible positions on the boom arm (hydraulic hoses/tubing shall not be allowed inside boom arms.)			

Item Number	Feature Description	Meets	Exceeds	Not available or does not meet spec
69)	Pump drive shaft attached to tractor crankshaft or PTO drive shall have a rating of not less than 180 hp.			
70)	Pump drive shaft power hydraulic pump for power to hydraulic motor.			
71)	Hydraulic pump and motor shall be gear type with cast steel housing and steel gears (specifically excluded shall be aluminum pumps, motors, and aluminum gears.)			
72)	Hydraulic pump shall have a rating of 98 hp (input).			
73)	Hydraulic motor shall have a rating of 99 hp.			
74)	Hydraulic oil to the power center head shall not pass through a restriction causing valve while operating the cutting head.			
75)	Main hydraulic control valve shall be non-restrictive, electric solenoid type, with starter lockout switch (Optional hydraulic brake available.)			
76)	Hydraulic valve shall not cause restriction to generate drift while in the off position.			
77)	Tractor's hydraulic system shall supply oil for the mower's lift system.			

All answers of **Exceeds or Not Available or does not meet spec** shall be explained on the *Exception Sheet* included in this packet. Cite the corresponding Item Number of the feature involved.

The County desires to trade in the vehicles listed below:

Trade – In Units:

1992 Ford 6610 w/Side mounted Alamo Mower SN# BC95514

1999 Case IH 4230 w/Tiger Boom Mower SN#JJ0922974AGH20

These units will be in service until delivery of new vehicle.

The County reserves the right to accept either the base price bid or the bid price after the trade-ins.

Trade-ins unit may be inspected at the Western District Facility at 121 Freymuth Road, Wentzville, Missouri (636) 332-6032. Call for an appointment to ensure the tractors are available at the maintenance facility.

The bid must include delivery of one tractor with boom mower to the following facility:

Western District Facility at 121 Freymuth Road, Wentzville, Missouri

The successful bidder shall deliver the tractor within 180 days of the bid award date. If the successful bidder fails to deliver within the time specified, a sum of \$25.00 per unit per day shall be forfeited to the County as liquidated damages.

Exception Sheet

If the item(s) and/or services proposed in the response to this bid is in any way different from that contained in this proposal or bid, the bidder is responsible to clearly identify all such differences in the space provided below. Otherwise, it will be assumed that the bidder's offer is in total compliance with all aspects of the proposal or bid.

Below are the exceptions or differences to the stated specifications (attach additional sheets as needed):

Date: _____

Signature: _____

Title: _____

Company: _____

BID FORM

11-100

Tractor with Boom Mounted Mowing Deck (re-bid)

Bid Opening Date: 4/8/2011 at 10:00 AM

(Bidder name)

Submits the following bid for this project:

Quantity – One (1)

Make Model and Year of Tractor offered _____

Make Model and Year of Boom Mower offered _____

Total price for One (1) Tractor with Boom Mower \$ _____

Less: Trade in allowance for:

1992 Ford 6610 w/Side mounted Alamo Mower SN# BC95514 \$ _____

1999 Case IH 4230 w/Tiger Boom Mower SN#JJ0922974AGH20 \$ _____

Net Price \$ _____

**Include documentation that details the warranty on the tractor and the mower
Include a complete and detailed specification sheet for the tractor and mower**

Authorized signature

Date _____

THIS FORM MUST BE COMPLETED AND ENCLOSED WITH THE BID

Audit Clause for Contracts

Examination of Records

The Contractor's records must include, but not be limited to, accounting records (hard copy, as well as computer readable data), written policies and procedures, subcontractor files, indirect cost records, overhead allocation records, correspondence, instructions, drawings, receipts, vouchers, memoranda, and any other data relating to this contract shall be open to inspection and subject to audit and/or reproduction by the County Auditor, or a duly authorized representative from the County, at the County's expense. The contractor must preserve all such records for a period of three years, unless permission to destroy them is granted by the County, or for such longer period as may be required by law, after the final payment. Since the Contractor is not subject to the Missouri Sunshine Law (Chapter 610, RSMo), information regarding the Contractor's operations, obtained during audits, will be kept confidential.

The Contractor will require all subcontractors under this contract to comply with the provisions of this article by including the requirements listed above in written contracts with the subcontractors.

Vendor Information

Company Name: _____

Business Address: _____

Business Hours: _____

Phone: _____ Fax: _____

Email address: _____

Contact Person: _____

Authorized Signature: _____

(Indicates acceptance of all bid terms and conditions)

Date: _____

American Made:

In accordance with the Domestic Product Procurement Act (hereinafter referred to as the Buy American Act) RSMo 34.350-34.359, the bidder is advised that any goods purchased or leased by any public agency where the purchase, lease or contract involves the expenditure of twenty-five thousand dollars (\$25,000) or more, shall be manufactured or produced in the United States. Section 34.350.2(1) of that Act specifies that the term "public agency" includes all political subdivisions of the State of Missouri, which definition includes counties.

The requirements of the Buy American Act shall not apply if other exceptions to the Buy American mandate in RSMo 34.353 are met.

If the bidder claims there is only one line of the good manufactured or produced in the United States, RSMo 34.353 (2), or that one of the exceptions of RSMo 34.353 (3) applies, the Department Head or Elected Official bears the burden of certification as required prior to the award of a contract.

In accordance with the Buy American Act, the bidder must provide proof of compliance with RSMo 34.353. Therefore the bidder should complete and return Exhibit A, certification regarding proof of compliance, with the bid. This document must be satisfactorily completed prior to an award of a contract.

EXHIBIT A

**ST. CHARLES COUNTY
DOMESTIC PRODUCTS PROCUREMENT ACT (BUY AMERICAN)**

The Missouri Domestic Products Procurement Act (34.350-34.359 RSMo) requires that for all bids with a value of \$25,000 or more, the goods or commodities purchased by any public agency (which definition includes all political subdivisions of the State, including counties) or used or supplied in the construction, alteration, repair, or maintenance of any public works must be **manufactured or produced** in the United States. As defined in 34.350 RSMo, United States means the United States of America, the District of Columbia, and all territories and possessions subject to the jurisdiction of the United States. The law also requires that the bidder must provide proof of compliance. **Note: In general, if an import tariff is applied to an item, it does not qualify for the Buy American preference. In addition, Most Favored Nation status does not allow application of the preference.**

Section A – All Products Are Manufactured or Produced In U.S.

If all products bid qualify as domestic products under Missouri law, complete only Section A.

I hereby certify that all products qualify as domestic, that the information provided is true and correct, and complies with all provisions of Sections 34.350-34.359 RSMo. I understand that any misrepresentation herein constitutes the commission of a class A misdemeanor pursuant to Section 34.355 of the Revised Statutes of Missouri.
SIGNATURE
COMPANY NAME

If Section A is completed, do not complete Section B.

Section B – Only One Product Line or No Products Are Manufactured or Produced In U.S.

If only one product line or no products are manufactured or produced in the U.S. complete only section B.

I hereby certify that there is only one product line or no product manufactured or produced in the U.S., that the information provided is true and correct, and complies with all provisions of Sections 34.350-34.359 RSMo. I understand that any misrepresentation herein constitutes the commission of a class A misdemeanor pursuant to Section 34.355 of the Revised Statutes of Missouri.
SIGNATURE
COMPANY NAME

Section C – Products May Qualify Because of Qualifying Treaty

If some or all products bid qualify for domestic status because of a trade treaty, etc., then the bidder must identify each product, country and qualifying treaty, etc. below. The bidder must list ALL products which are or may qualify as domestic below. If more space is needed, please copy this form and submit as an attachment.

BID ITEM NUMBER(S)	COUNTRY WHERE MANUFACTURED OR PRODUCED	QUALIFYING TREATY, LAW, AGREEMENT, OR REGULATION

SECTION C

I hereby certify that the specific items listed above are domestic, that the information provided is true and correct, and complies with all provisions of Sections 34.350-34.359 RSMo. I understand that any misrepresentation herein constitutes the commission of a class A misdemeanor pursuant to Section 34.355 of the Revised Statutes of Missouri.
SIGNATURE
COMPANY NAME